



RP39

MEETING STILE SEALS



A refrigeration type vinyl magnetic strip in an anodised aluminium housing. RP39 provides a tight seal for steel clad doors and jambs and may be used as a stop. For timber doors, a thin steel strip can be attached to the door face. The magnetic strip has sufficient closing strength that latches may not be required.

RP39 provides an astragal for timber and metal doors. It can also be used in pairs on meeting stiles of timber doors.

Note: As a meeting stile seal, RP39 is best suited to infrequent use and door closer hold open applications.

SPECIFICATIONS

Location	Size/Length	Fixing
Head, jambs and stiles of single and double butt hinged doors, sliding doors or bulkhead applications.	2250mm, 2500mm, 3000mm	Screw Fixed
		Fixing Note Screw fix. Zinc plated, cross recess head S.T. screws supplied. Fixing holes are slotted.

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

Min & Max Gap

4mm to 8mm

Available Colours

Painted (Extra Cost), Silver

Anodised

Material

Aluminium

Material Description

Anodised aluminium with black PVC gasket and magnet strip.

Note: Architectural perimeter seal and door bottom extrusions are anodised 15µm and threshold plates are anodised 25µm for maximum durability. Black aluminium is anodised 25µm to 40µm.

Door/Frame Construction

Timber, Steel, Aluminium

Door Type

Single Inward Opening, Single

Outward Opening, Double Inward

Opening, Double Outward

Opening, Sliding

Gap Description

(meeting stiles)

User determined gap

No

Prior to installation gap

No

APPROVALS**Accreditations**

Certifire: CF 5710

Fire AUS/NZ

NZBC C/AS2 4.16.2(a) & App C6.1.1, NCC Spec C3.4, AS 1530.4:2005 & earlier

Fire UK/EU

Approved Document B, BS 476 Pt. 20 & 22 (similar to BS EN 1634-1)

Fire Rating

Up to FD240, Up to FRL & FRR-/240/30

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

Energy AUS/NZ

NCC J5D5, ABCB Housing Provisions Standard 2022

13.4.4

VARIATIONS

Product Code	Colour	Length
A39C2250	Silver Anodised	2250mm
A39C2500	Silver Anodised	2500mm
A39C3000	Silver Anodised	3000mm
A39P3000	Painted (Extra Cost)	3000mm

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance