



RP26

MEETING STILE SEALS



A heavy duty sweep seal for door bottoms of outward opening doors. Slotted fixing holes allow for adjustment all concealed behind a push in cover strip.

The RP26 is ideal for use in conjunction with Raven threshold plates.

SPECIFICATIONS

Location

Bottom of single and double, outward opening, butt hinged doors, tilt up doors or can be used as a meeting stile seal (astragal).

Size/Length

1000mm, 1250mm, 1500mm, 2000mm, 3000mm

Fixing

Screw Fixed

Fixing Note

Concealed screw fix. Zinc plated, cross recess head S.T. screws and cover strip supplied. Fixing holes are pre-slotted.

Min & Max Gap

5mm to 20mm

Replacement Seals

[RP326](#)

Available Colours

Bronze Anodised, Painted (Extra Cost), Silver Anodised

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

| | | |
|--|--------------------------------|--|
| Material | Door/Frame Construction | Door Type |
| Aluminium | Timber, Aluminium | Single Outward Opening, Double Outward Opening |
| Material Description | | |
| Anodised aluminium with solid EPDM gasket. Note: Architectural perimeter seal and door bottom extrusions are anodised 15µm and threshold plates are anodised 25µm for maximum durability. Black aluminium is anodised 25µm to 40µm. | | |
| Garage Door Type | User determined gap | Prior to installation gap |
| Tilt-up | Yes | No |

APPROVALS

Fire AUS/NZ

AS 1530.4, AS 1905.1, NCC S12C2

Fire UK/EU

Approved Document B, BS 476 Pt. 20 & 22 (similar to BS EN 1634-1)

Fire Rating

Up to FD120, Up to FRL & FRR-/120/30

Energy AUS/NZ

NCC J5D5, ABCB Housing Provisions Standard 2022 13.4.4

Insects & Vermin AUS/NZ

AS 4674 Sect. 2.1.5 Pt. (iv), AS 4674 Sect. 2.1.7

VARIATIONS

| Product Code | Colour | Length |
|--------------|--------|--------|
|--------------|--------|--------|

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

| | | |
|----------|----------------------|--------|
| A26B1000 | Bronze Anodised | 1000mm |
| A26B3000 | Bronze Anodised | 3000mm |
| A26C1000 | Silver Anodised | 1000mm |
| A26C1250 | Silver Anodised | 1250mm |
| A26C1500 | Silver Anodised | 1500mm |
| A26C2000 | Silver Anodised | 2000mm |
| A26C3000 | Silver Anodised | 3000mm |
| A26P3000 | Painted (Extra Cost) | 3000mm |

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance