



RP4T

MEETING STILE SEALS



A weather seal, RP4T easily fits to the bottom of a door. It can be used in combination with threshold plates where even greater protection is required.

RP4T is particularly suitable for roll-up garage doors. Its fixings are concealed and its multi-blade seal defies rain infiltration.

Also available as an intumescent fire and hot smoke seal. Refer to RP114 for this feature.

SPECIFICATIONS

<p>Location</p> <p>Roll-up doors. Single and double butt hinged doors or bulkhead applications. Minimum door thickness of 35mm.</p>	<p>Size/Length</p> <p>1000mm, 1250mm, 1500mm, 1750mm, 2000mm, 3000mm</p>	<p>Fixing</p> <p>Screw Fixed</p> <p>Fixing Note</p> <p>Concealed screw fix. Zinc plated, cross recess head S.T. screws and cover strip supplied. Fixing holes are pre-slotted.</p>
<p>Min & Max Gap</p> <p>14mm to 20mm</p>	<p>Replacement Seals</p> <p>RP404, RP404b</p>	<p>Available Colours</p> <p>Black Anodised, Bronze Anodised, Painted (Extra Cost), Silver Anodised</p>

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

Material

Aluminium

Door/Frame Construction

Timber, Aluminium

Door Type

Single Inward Opening, Single
Outward Opening, Double Inward
Opening, Double Outward
Opening, Pivot

Material Description

Anodised aluminium with flexible
PVC gaskets.

Note: Architectural perimeter seal
and door bottom extrusions are
anodised 15µm and threshold
plates are anodised 25µm for
maximum durability. Black
aluminium is anodised 25µm to
40µm.

Garage Door Type

Roll-up, Panel-lift

Gap Description

(without threshold plate)

User determined gap

No

Prior to installation gap

No

APPROVALS

Energy AUS/NZ

ABCB Housing Provisions Standard 2022 13.4.4, NCC
J5D5

Insects & Vermin AUS/NZ

AS 4674 Sect. 2.1.5 Pt. (iv), AS 4674 Sect. 2.1.7

VARIATIONS

Product Code

Colour

Length

A4TC1000

Silver Anodised

1000mm

A4TC1250

Silver Anodised

1250mm

A4TC1750

Silver Anodised

1750mm

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

A4TC2000	Silver Anodised	2000mm
A4TC3000	Silver Anodised	3000mm
A4TP1250	Painted (Extra Cost)	1250mm
A4TP3000	Painted (Extra Cost)	3000mm
A4TC1500	Silver Anodised	1500mm
A4TBK1000	Black Anodised	1000mm
A4TBK2000	Black Anodised	2000mm
A4TBK3000	Black Anodised	3000mm
A4TB1000	Bronze Anodised	1000mm
A4TB3000	Bronze Anodised	3000mm

Product Sizes/Lengths: Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance