



## RP4b

THRESHOLD PLATES / RAMPS



A medium duty threshold plate with integral sill gasket for use in conjunction with Raven door bottom seals.

### SPECIFICATIONS

**Location**

Door sill.

**Size/Length**

1000mm, 2000mm, 3000mm

**Fixing**

Screw Fixed

**Fixing Note**

Screw fix. Zinc plated, cross recess head CSK S.T. screws supplied.

Fixing holes are pre-punched and countersunk.

**Product Sizes/Lengths:** Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

**Replacement Seals**[RP404a](#)**Available Colours**

Bronze Anodised, Silver Anodised

**Material**

Aluminium

**Material Description**

Anodised aluminium with flexible PVC gaskets.

Note: Architectural perimeter seal and door bottom extrusions are anodised 15µm and threshold plates are anodised 25µm for maximum durability. Black aluminium is anodised 25µm to 40µm.

**User determined gap**

No

**Prior to installation gap**

No

**APPROVALS****Access & Mobility AUS/NZ**

NZBC D1/AS1 1.3.2

**Access & Mobility UK/EU**

Approved Document M

**Accreditations**

ANSI/BHMA: A156.21

**Fire AUS/NZ**AS 1530.4, NCC S12C2, AS 1905.1, NZBC C/AS2  
4.16.2(a) & App C6.1.1**Fire UK/EU**BS 476 Pt. 20 & 22 (similar to BS EN 1634-1), Approved  
Document B**Fire Rating**

Up to FRL &amp; FRR-/240/30

**Product Sizes/Lengths:** Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance

**BAL Statement**

BAL FZ when used with a BAL rated door bottom seal  
in accordance with AS3959

**VARIATIONS**

Product Code	Colour	Length
A4BB1000	Bronze Anodised	1000mm
A4BB3000	Bronze Anodised	3000mm
A4BC1000	Silver Anodised	1000mm
A4BC2000	Silver Anodised	2000mm
A4BC3000	Silver Anodised	3000mm

**Product Sizes/Lengths:** Product lengths greater than 2m can only be purchased from Raven distributors and stockists. Please contact Raven Sales for assistance