

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	Selleys RP7 Multi-purpose lubricant (HK)
Recommended Use:	Multi-purpose lubricant
Supplier Street Address:	DGL CAMEL (Hong Kong) Co., Ltd 22 / F., 78 Hung To Road, Kwun Tong, Kowloon, Hong Kong.
Telephone Number:	852-34733362
Fax:	852-23571729

2. HAZARDS IDENTIFICATION

Risk Phrases:	Highly Flammable. Irritating to eyes and skin. May cause sensitisation by inhalation and skin contact.
Safety Phrases:	Keep away from sources of ignition - No Smoking. Avoid contact with skin and eyes. Wear suitable protective clothing. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)
Poisons Schedule:	None allocated.

3. COMPOSITION/ INFORMATION ON INGREDIENTS



Components	CAS Number	Proportion	Risk Phrases
Rust inhibitor	Not available	0.5-3.5%	No display
Lubricant	8002-05-9	13-20%	No display
Petrolatum	8009-03-8	5-18%	No display
Kerosene	8008-20-6	44-66%	No display
Dimethyl ether	115-10-6	15-30%	R12: Flammable

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone China 86-0760-22819388) or a doctor.

Inhalation:

If inhaled, remove from contaminated area. To protect rescuer, use a Type A (Organic vapour) respirator or an Airline respirator (in poorly ventilated areas). Apply artificial respiration if not breathing.

Skin Contact:

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If discomfort persists, consult a doctor.

Eye Contact:

Rinse thoroughly with water for 15-20 minutes is recommended, if you still feel discomfort or irritation persists, contact your doctor.

Ingestion:

Ingestion product may require medical attention. In case of ingestion, drink the right amount of diluent (water or milk), and symptomatic treatment. Do not induce vomiting. Ingestion is considered unlikely due to product form.

Medical attention and special treatment:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flammability : Flammable. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Vapour may form explosive mixtures with air. Eliminate all ignition sources, including cigarettes, open flames, spark producing switches/tools, heaters, pilot lights, mobile phones etc. when handling. Aerosol cans may explode above 50°C.

Fire and Explosion : Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation.

Product Name: Selleys RP7 Multi-purpose lubricant (HK) Substance No: A0001613



Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water fog to cool intact containers and nearby storage areas. **Extinguishing :** Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways. **Hazchem Code :** 2Y.

6. ACCIDENTAL RELEASE MEASURES

Spillage: If cans/containers are punctured (bulk), use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Collect and allow to discharge outdoors. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

7. HANDLING AND STORAGE

Storage: Store in a cool, dry, well ventilated area, removed from oxidising agents, acids, alkalis, heat or ignition sources and foodstuffs. Ensure aerosol containers/ cans are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for damaged/ leaking containers. Large storage areas should have appropriate fire protection and ventilation systems.

Handling: Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Occupational Exposure Limits: No biological limit allocated.

Engineering controls:

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended. Flammable vapours may accumulate in poorly ventilated or confined areas. Vapours are heavier than air and may travel some distance to an ignition source and flash back. Maintain vapour levels below the recommended exposure standard.

Product Name: Selleys RP7 Multi-purpose lubricant Substance No: A0001613



Personal Protective Equipment:

Wear splash-proof goggles, neoprene or nitrile gloves and safety glasses. When using large quantities or where heavy contamination is likely, wear: coveralls. At high vapour levels, wear: a Type A-Class P1 (Organic gases/vapours and Particulate) respirator.







9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Clear, honey brown liquid
Odour:	Characteristic pleasant odour
Solubility:	Insoluble
Specific Gravity:	0.78-0.85g/ml
Relative Vapour Density (air=1):	Not available
Vapour Pressure (20 °C):	0.35~0.4Mpa
Flash Point (°C):	Not available
Flammability Limits (%):	Not available
Autoignition Temperature (°C):	Not available
VOC content (%):	Less than 30%
Melting Point/Range (°C):	Not applicable
Boiling Point/Range (°C):	Not available
pH:	Not applicable
Viscosity:	200~800map.s
Evaporation Rate:	Not available

10. STABILITY AND REACTIVITY

 Chemical stability:
 Stable under normal conditions of use.

 Conditions to avoid:
 Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and

Product Name: Selleys RP7 Multi-purpose lubricant Substance No: A0001613



	open flame.	
Incompatible materials:	Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid),	
	alkalis (eg. hydroxides), heat and ignition sources.	
Hazardous decomposition products: May evolve toxic gases (carbon oxides, hydrocarbons) when heated to		
	decomposition.	
Hazardous reactions:	None known.	

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	Low to moderate toxicity. Ingestion may result in nausea, vomiting, abdominal pain and drowsiness
	with large quantities. Aspiration may result in chemical pneumonitis and pulmonary oedema.
	Ingestion is considered unlikely due to product form.
Eye contact:	Irritant. Contact may result in irritation, lacrimation, pain and redness.
Skin contact:	Contact with skin may result in irritation. Will have a degreasing action on the skin. Repeated or
	prolonged skin contact may lead to irritant contact dermatitis.
Inhalation:	Irritant. Over exposure may result in irritation of the nose and throat, coughing and headache. High
	level exposure may result in nausea, dizziness and drowsiness. May cause sensitisation by
	inhalation Irritant. Contact may result in irritation, redness, rash and dermatitis. May cause
	sensitisation by skin contact.
Long Term Effects:	No information available for the product.

Toxicological Data: No LD50 data available for the product.

12. ECOLOGICAL INFORMATION

Environment : Aliphatic hydrocarbons behave differently in the environment depending on their size. WATER: Light aliphatics volatilise rapidly from water (half life - few hours). Bioconcentration should not be significant. SOIL: Light aliphatic biodegrade quickly in soil and water, heavy aliphatics biodegrade very slowly. ATMOSPHERE: Vapour-phase aliphatics will degrade by reaction with hydroxyl radicals.

13. DISPOSAL CONSIDERATIONS

Product Name: Selleys RP7 Multi-purpose lubricant Substance No: A0001613



Waste Disposal: For small amounts absorb contents with sand or similar and dispose of to an approved landfill site. Do not puncture or incinerate aerosol cans. Contact the manufacturer for additional information.

Legislation : Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

Vehicles & Packaging dangerous cargo need to have the relevant number, PackingGroup, Package signs and other marked.

Strict compliance with the transport regulations :

①. People's Republic of China Road Transportation Ordinance;

2. Ship loading of dangerous goods rules;

③. Railway transport of dangerous goods loading and unloading implementation rules, etc.

Transportation Note: Transport packing containers should be preceded by checking completeness, sealed during transport to make sure container does not leak, and it fell not do not fall, no damage. Non-food chemicals and mixed mixed operation. transport vehicle and vessel must be thoroughly cleaned, disinfected, you may not ship the other items. When shipping, equipped with location should be away from the bedroom, kitchen, and isolate with the cabinpower supplyand fire sources and other parts. Accordance with the provisions during transportation routes.

Shipping Name AEROSOLS

UN No. 1950

15. REGULATORY INFORMATION

The chemical Dangerous Goods Safety Management Regulations (17 February 1987 the State Council), the implementation of the chemical Dangerous Goods Safety Management regulations enforcement regulations (the Labor Fa [1992] No. 677), the Labor Safety health facilities rules, the workplace safe use of chemicals ([1996] Lao Bu Fa, No. 423), road traffic safety rules and other regulations for the safe use of hazardous chemicals, production, storage, transport, handling, etc. are made as appropriate.

16. OTHER INFORMATION

i . The present the Material Safety data sheet data is according our current the level of awareness as well as the

Product Name: Selleys RP7 Multi-purpose lubricant Substance No: A0001613



current country legal establishment.

ii • Was not agreed by the prior written notice, product must not be used for other purposes other than product data sheet.

iii
 Take the necessary measures to comply with the applicable legal requirements is always a the responsibility of the user.

Product Name: Selleys RP7 Multi-purpose lubricant Substance No: A0001613