

Intrega Pullout

Features

The Moen Integra chrome one handle pull-out kitchen faucet collection contributes to an urban appeal and modern, eye-catching aesthetic.

 Chrome finish is highly reflective for a mirror-like look that works with any decorating style.





Specifications

AMERICA'S NO.1 FAUCET BRAND

FAUCET DESCRIPTION

- Metal construction with chrome plated or brushed chrome finish
- Hydrolock[™] quick connect installation
- Pullout spray with 68" braided hose)
- 1/2" IPS connections will accept standard ball nose connection for 3/8" tubing

OPERATION

- · Lever style handle
- Temperature controlled by 180° arc of handle travel
- Spout rotation is 120°
- Operates with less than 5lbs. of force
- Operates in stream or spray mode in the pullout or retracted position

FLOW

Aerator is limited to 2.2 gpm (8.3 L/min) at 60 psi

CARTRIDGE

- 1225 cartridge design
- Engineered polymers, nonferrous and stainless steel materials

STANDARDS


- Third party certified to CSA B-125, ASME A112.18.1M, NSF 61 Section 9, California Proposition 65, ANSI A117.1 and all applicable requirements referenced therein
- The backflow protection system in this device consists of two independently operating check valves, a primary and a secondary which prevent backflow.



Single Control Kitchen Faucet Models:

Models: 67315C, 67315SL


NOTE: DESIGNED TO INSTALL THRU 1 OR 3 HOLES 1-1/4" (32mm) MIN. DIA.





AMERICA'S NO.1 FAUCET BRAND

Illustrated Parts





AMERICA'S NO.1 FAUCET BRAND

Order by Part Number

* Models before 3/07

Illustrated Parts

Integra

Single Control Kitchen Pullout Faucet
MODEL HANDLE FINISH

MODEL 67315 67315C

Lever Lever Chrome/Glacier Chrome

67315C Lever Chrome 67315BC Lever Brushed Chrome

